

Wood Burning Cookers



n 1.2023 EN

NORDICA[®]
Extraflame
Warms up your life.

INDEX

| | |
|-----------------|---|
| OUR ROOTS | 2 |
| STRENGTH | 3 |

UL-C SERIES

| | | | |
|----------------------------|----|---------------------------------|----|
| ALASKA | 6 | ROSA STONE | 24 |
| ROSA XXL STEEL | 8 | ROSA L | 26 |
| ROSA XXL MAJOLICA..... | 10 | | |
| ROSA XXL STONE | 12 | | |
| MILLY | 14 | | |
| ROSA REVERSE CERAMIC..... | 16 | ACCESSORIES | |
| ROSA SINISTRA REVERSE..... | 18 | COOKING ACCESSORIES | 28 |
| ROSA CERAMIC | 20 | | |
| ROSA MAJOLICA..... | 22 | NOTE, LEGEND, CERTIFICATES..... | 31 |

OUR ROOTS.



La Nordica has been Warming Life for over 50 years.

There is work and there is passion. There is a family and there is an ideal. There is optimism and the desire to change, but always in the footsteps of one's own tradition. There's all this, and even more, in a La Nordica product. This is well known by the many customers who rely on this large group that has become synonymous

with warmth, reliability and safety.

More than fifty years have passed since Silvano, Giannino and Giorgio Dal Zotto began this adventure that today the family carries on with the spirit of our times, investing in technology and innovation. From the 1960s to the present, the production of stoves, cookers, wood-burning and pellet fireplaces and boilers has transformed

itself into a great industrial reality, but the love and dedication of the beginnings have remained unchanged. A journey that in the last five decades has led the Group to positioning itself as a leader in an international market in more than 50 countries around the world, with an offer of over 200 Hi-tech Made in Italy Products for the production of energy for domestic heating using biomass. A history of quality

and continuous renewal, attested by the most up-to-date international certifications, puts the Group's proposals at the forefront of the sector.

Our history is at the roots of our future.



STRENGTH.

+200 Innovative products



Over 200 articles for the production of energy for domestic heating: wood-burning and pellet stoves, fireplaces, cookers, thermo-products and boilers. A proposal of quality and continuous innovation that puts the Group at the forefront of the sector.

5 Production Plants



The La Nordica-Extraflame Group has reached a prestigious international position thanks to 5 production plants, all of them strictly Made in Italy.

+50 Countries in the world



The La Nordica-Extraflame sales network can supply its products in over 50 foreign countries.

6 Thematic classrooms



In the Training Centre, equipped with 6 thematic classrooms, technicians and salespeople undergo constant training, to be able to meet all the needs of the end user.

400 Technical Assistance Centres in Europa



To ensure rapid and timely interventions on products, over the years the La Nordica-Extraflame Group has created and consolidated on the territory a widespread network of qualified and authorised technicians, constantly trained on the innovations on the products and services and in direct contract with "Customer Service".


WOOD-BURNING



Hearth in Nordiker
La Nordica uses a special material called Nordiker for the production of hearth walls refractories.



Post combustion
The combustion system developed by La Nordica allows, due to a secondary/tertiary air system, a post combustion which significantly reduces emissions.



Doors in cast iron
The high-quality cast-iron doors are made to last and ensure perfect sealing at all times.



Automatic safety device
It is a safety device created to quickly reduce water temperature, according to rules in force. DSA valve not included.




Glass cleaning system
A system of pre-heated air which removes any deposit from the fire-door glass.




Direct outdoor air intake (BBC)
Air intake system which draws fresh air from outside directly into the adjust system combustion regulation of the firebox of the appliance.



Outdoor air intake (ASC)
A particular connection system which allows to introduce air from the outside into the pre-heated environment around the fire-box.



Radiant system (PRS)
High efficiency Heat exchanger system



WOOD-BURNING COOKERS UL-C

La Nordica woodburning cookers combine technology and attention to the materials with the values of tradition and the flavours of the past, to offer the possibility of cooking freely, and at the same time, heating your home. In fact, cooking with a wood-burning stove gives food a unique taste and releases the traditional aromas, without sacrificing the comfort and efficiency of its performance for heating the rooms.

The use of quality materials and the skilful design allow you to take advantage of every bit of heat in an efficient and environmentally friendly way using an energy source.

The La Nordica appliances of the UL-C series are solid-fuel, i.e. wood, cookstoves specifically designed to fulfill all the safety requirements required by the market. In particular, these products have been certified to the test standards UL 1482 and ULC S627 for the US and Canadian markets, respectively. Installation compliance is given by following the requirements of the test standards together with the national installation codes for each country.

| Page | | Dimensions (WxHxD) | BTU/h* | Smoke outlet diameter | Oven capacity | External covering |
|------|-------------------------------|-------------------------|--------|-----------------------|---------------|-----------------------------|
| 6 | ALASKA | 51,5 x 33,9 x 26,8 inch | 40.946 | 6 inch | 20,6 gal | Enameled cast-iron |
| 8 | ROSA XXL STEEL | 42,3 x 34 x 26,3 inch | 29.003 | 6 inch | 20,6 gal | Enameled steel |
| 10 | ROSA XXL MAJOLICA | 42,3 x 34 x 26,3 inch | 29.003 | 6 inch | 20,6 gal | Majolica |
| 12 | ROSA XXL STONE | 42,3 x 34 x 26,3 inch | 29.003 | 6 inch | 20,6 gal | Natural Stone |
| 14 | MILLY | 41,5 x 34 x 26,5 inch | 29.686 | 6 inch | 20,6 gal | Enameled steel and majolica |
| 16 | ROSA REVERSE CERAMIC | 40,6 x 33,5 x 25,6 inch | 27.638 | 6 inch | 7,5 gal | Majolica |
| 18 | ROSA SINISTRA REVERSE CERAMIC | 40,6 x 33,5 x 25,6 inch | 27.980 | 6 inch | 7,5 gal | Majolica |
| 20 | ROSA CERAMIC | 40,6 x 33,5 x 25,6 inch | 28.662 | 6 inch | 10,8 gal | Majolica |
| 22 | ROSA MAJOLICA | 40,6 x 33,5 x 25,6 inch | 28.662 | 6 inch | 10,8 gal | Majolica |
| 24 | ROSA STONE | 40,6 x 33,5 x 25,6 inch | 28.662 | 6 inch | 10,8 gal | Natural Stone |
| 26 | ROSA L | 38,4 x 34 x 26,4 inch | 27.638 | 6 inch | 14,6 gal | Enameled steel |

N.B.: The technical specifications are verified for every single product

* Data obtained in accordance to EN 12815:2006

ALASKA

Wood-burning cooker

40.946* BTU/h | 450 yd³



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
40.946 BTU/h

Efficiency*
88,6%

Hourly consumption*
7,1 lb/h

Dimensions (WxHxD)
51,5 x 33,9 x 26,8 inch

Net weight
772 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
15,9 x 11 inch

Hearth dimensions (WxHxD)
15,7 x 13,4 x 18,1 inch

Oven dimensions (WxHxD)
17,1 x 16,5 x 16,9 inch

Wood length (max)
11,8 inch

Oven capacity
20,6 gallons

Download technical data sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006




STANDARD EQUIPMENT



OPTIONAL



TECHNOLOGY



N.B. When used correctly, enamelled cast iron has an almost unlimited lifespan and requires minimal maintenance.


FINISHES

External covering in enamelled cast iron



Glazed Black

DETAIL



Three-ring plate

LA NORDICA • ALASKA

| Colour | Code |
|--------------|---------|
| Glazed Black | 7016055 |

OPTIONAL

| | Code |
|---|---------|
| Handrail and end caps Chrome | 7016057 |
| Enamelled backing tray Dimensions: 15,2 x 16,8 inch | 1017229 |
| Enamelled backing tray (to place on the grid) Dimensions: 15,2 x 11,6 inch | 1119000 |
| Double inox grid | 7016150 |
| Inox Oven grid Dimensions: 16,8 x 16,1 inch | 1017109 |


ROSA XXL STEEL

Wood burning cooker

29.003* BTU/h | 319* yd³



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
29.003 BTU/h

Efficiency*
85,0 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
42,3 x 34 x 26,3 inch

Net weight
446 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8,8 x 8,3 inch

Hearth dimensions (WxHxD)
11,6 x 12 x 18,1 inch

Oven dimensions (WxHxD)
17,1 x 16,5 x 16,9 inch

Wood length (max)
11,8 inch

Oven capacity
20,6 gallons

Download technical sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



KIT 3 BLACK TILES (3,9 x 3,9 inch)



INOX OVEN GRID (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Outdoor air intake (ASC)

N.B. Enameled cast iron, when used correctly, has almost an unlimited life and requires minimal maintenance.

COLOUR CHOICES

External finish in enameled steel





Anthracite Black

LA NORDICA • ROSA XXL STEEL

| Colour | Code |
|--|---------|
|  Anthracite Black | 7015300 |

OPTIONAL

| | Code |
|---|---------|
|  Enameled backing tray Dimensions: 15,2 x 16,8 inch | 1017229 |
|  Inox Oven grid Dimensions: 16,8 x 16,1 inch | 1017109 |

ROSA XXL MAJOLICA

Wood burning cooker

29.003* BTU/h | 319* yd³



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
29.003 BTU/h

Efficiency*
85,0 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
42,3 x 34 x 26,3 inch

Net weight
519 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8,8 x 8,3 inch

Hearth dimensions (WxHxD)
11,6 x 12 x 18,1 inch

Oven dimensions (WxHxD)
17,1 x 16,5 x 16,9 inch

Wood length (max)
11,8 inch

Oven capacity
20,6 gallons

Download technical sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



INOX OVEN GRID (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Outdoor air intake (ASC)

N.B. Enameled cast iron, when used correctly, has almost an unlimited life and requires minimal maintenance.

COLOUR CHOICES

External facing in majolica



White Infinity





Bordeaux

LA NORDICA • ROSA XXL MAJOLICA

| Colour | Code |
|--|---------|
| <input type="checkbox"/> White Infinity | 7015302 |
| <input checked="" type="checkbox"/> Bordeaux | 7015303 |

OPTIONAL

| | Code |
|---|---------|
|  Enameled backing tray Dimensions: 15,2 x 16,8 inch | 1017229 |
|  Inox Oven grid Dimensions: 16,8 x 16,1 inch | 1017109 |

ROSA XXL STONE

Wood burning cooker

29.003* BTU/h | 319* yd³



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
29.003 BTU/h

Efficiency*
85,0 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
42,3 x 34 x 26,3 inch

Net weight
607 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8,8 x 8,3 inch

Hearth dimensions (WxHxD)
11,6 x 12 x 18,1 inch

Oven dimensions (WxHxD)
17,1 x 16,5 x 16,9 inch

Wood length (max)
11,8 inch

Oven capacity
20,6 gallons

Download technical sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



INOX OVEN GRID (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Outdoor air intake (ASC)

N.B. Enameled cast iron, when used correctly, has almost an unlimited life and requires minimal maintenance.


COLOUR CHOICES

External facing in natural stone





Natural Stone

LA NORDICA • ROSA XXL STONE

| Colour | Code |
|---|---------|
|  Natural stone | 7015301 |

OPTIONAL

| | Code |
|---|---------|
|  Enameled backing tray Dimensions: 15,2 x 16,8 inch | 1017229 |
|  Inox Oven grid Dimensions: 16,8 x 16,1 inch | 1017109 |

MILLY

Wood burning cooker

29.686* BTU/h | 326* yd³



CHARACTERISTICS

- Vitrified cast-iron top frame



TECHNICAL DATA

Nominal power*
29.686 BTU/h

Efficiency*
89,1 %

Hourly consumption*
5 lb/h

Dimensions (LxHxD)
41,5 x 34 x 26,5 inch (without food warmer)

Net weight
479 lb (without food warmer)

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
9,5 x 7,3 inch

Hearth dimensions (WxHxD)
10,5 x 11,3 x 18 inch

Oven dimensions (WxHxD)
17 x 16,5 x 17 inch

Wood length (max)
11,8 inch

Oven capacity
20,6 gallons


Download technical sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006

STANDARD EQUIPMENT



OPTIONAL



Food warmer (optional): Interior in lava stone and stainless steel for food use

TECHNOLOGY



N.B. Enameled cast iron, when used correctly, has almost an unlimited life and requires minimal maintenance.



COLOUR CHOICES

Finish in enamelled steel and majolica



Bordeaux

White Infinity



Dimensions (WxHxD 38,9 x 28 x 14,6 inch)

LA NORDICA • MILLY

| Colour | Code |
|----------------|---------|
| Bordeaux | 7018005 |
| White Infinity | 7018006 |

OPTIONAL

| | | |
|--|---|-----------------|
| | Food warmer Bordeaux dimensions (WxHxD) 38,9 x 28 x 14,6 inch Attention: pipe not included | Code 7018010 |
| | Food warmer White Infinity dimensions (WxHxD) 38,9 x 28 x 14,6 inch Attention: pipe not included | Code 7018013 |
| | Enameled backing tray 15,2 x 16,8 inch | Code 1017229 |
| | Inox Oven grid Dimensions: 16,8 x 16,1 inch | Code 1017109 |

ROSA REVERSE CERAMIC

Wood burning cooker

27.638* BTU/h | 303* yd³



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
27.638 BTU/h

Efficiency*
81,1 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
40,6 x 33,5 x 25,6 inch

Net weight
404 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
13,8 x 9,3 inch

Hearth dimensions (WxHxD)
14,7 x 11,4 x 12,6 inch

Oven dimensions (WxHxD)
9,6 x 11,9 x 15,1 inch

Wood length (max)
8,7 inch

Oven capacity
7,5 gallons

Download technical sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

DETAIL



Wood drawer

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Direct outdoor air intake (BBC)

COLOUR CHOICES

External facing in majolica



Liberty Bordeaux



Liberty Panna

LA NORDICA • ROSA REVERSE CERAMIC

| Colour | Code |
|------------------|---------|
| Liberty Bordeaux | 7015316 |
| Liberty Panna | 7015325 |

OPTIONAL

| | Code |
|--|---------|
| Inox tank 4,5 | 1014950 |
| Inox Oven grid Dimensions: 9,2 x 15 inch | 1014110 |
| Enameled backing tray Dimensions: 9,1 x 15,4 inch | 1210610 |

ROSA SINISTRA REVERSE

Wood burning cooker

27.980* BTU/h | 307* yd³



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
27.980 BTU/h

Efficiency*
86,5 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
40,6 x 33,5 x 25,6 inch

Net weight
404 - 441 Stone lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
13,8 x 9,3 inch

Hearth dimensions (WxHxD)
14,7 x 11,4 x 12,6 inch

Oven dimensions (WxHxD)
9,6 x 11,9 x 15,1 inch

Wood length (max)
8,7 inch

Oven capacity
7,5 gallons

Download technical sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Direct outdoor air intake (BBC)

COLOUR CHOICES

External facing in majolica or in natural stone



Liberty Bordeaux (Ceramic)



Liberty Panna (Ceramic)



Natural stone (Stone)

LA NORDICA • ROSA SINISTRA REVERSE

| Colour | Code |
|------------------|---------|
| Liberty Bordeaux | 7015317 |
| Liberty Panna | 7015327 |
| Natural stone | 7015309 |

OPTIONAL

| | Code |
|--|---------|
| Inox tank 4,5 | 1014950 |
| Inox Oven grid Dimensions: 9,2 x 15 inch | 1014110 |
| Enameled backing tray Dimensions: 9,1 x 15,4 inch | 1210610 |

ROSA CERAMIC

Wood burning cooker

28.662* BTU/h | 314* yd³



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
28.662 BTU/h

Efficiency*
87,1 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
40,6 x 33,5 x 25,6 inch

Net weight
404 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8,7 x 10,4 inch

Hearth dimensions (WxHxD)
10,7 x 12,6 x 14,3 inch

Oven dimensions (WxHxD)
13 x 11,8 x 16 inch

Wood length (max)
11,8 inch

Oven capacity
10,8 gallons

Download technical sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Outdoor air intake (ASC)

COLOUR CHOICES

External facing in majolica



Liberty Bordeaux



Liberty Panna

LA NORDICA • ROSA CERAMIC

| Colour | Code |
|------------------|---------|
| Liberty Bordeaux | 7015311 |
| Liberty Panna | 7015326 |

OPTIONAL

| | Code |
|---|---------|
| Inox tank 4,5 | 1014950 |
| Inox Oven grid Dimensions: 11,7 x 15 inch | 1014100 |
| Enameled backing tray Dimensions: 11,7 x 14,8 inch | 1014024 |
| High-adjustable grate | 1035402 |


ROSA MAJOLICA

Wood burning cooker

28.662* BTU/h | 314* yd³



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
28.662 BTU/h

Efficiency*
87,1 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
40,6 x 33,5 x 25,6 inch

Net weight
450 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8,7 x 10,4 inch

Hearth dimensions (WxHxD)
10,7 x 12,6 x 14,3 inch

Oven dimensions (WxHxD)
13 x 11,8 x 16 inch

Wood length (max)
11,8 inch

Oven capacity
10,8 gallons

Download technical sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Outdoor air intake (ASC)

COLOUR CHOICES

External facing in majolica



White Infinity



Bordeaux



Tortora

LA NORDICA • ROSA MAJOLICA

| Colour | Code |
|----------------|---------|
| White Infinity | 7015313 |
| Bordeaux | 7015314 |
| Tortora | 7015315 |

OPTIONAL

| | Code |
|---|---------|
| Inox tank 4,5 | 1014950 |
| Inox Oven grid Dimensions: 11,7 x 15 inch | 1014100 |
| Enameled backing tray Dimensions: 11,7 x 14,8 inch | 1014024 |
| High-adjustable grate | 1035402 |

ROSA STONE

Wood burning cooker

28.662* BTU/h | 314* yd³



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
28.662 BTU/h

Efficiency*
87,1 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
40,6 x 33,5 x 25,6 inch

Net weight
441 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8,7 x 10,4 inch

Hearth dimensions (WxHxD)
10,7 x 12,6 x 14,3 inch

Oven dimensions (WxHxD)
13 x 11,8 x 16 inch

Wood length (max)
11,8 inch

Oven capacity
10,8 gallons

Download technical sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Outdoor air intake (ASC)


COLOUR CHOICES

External facing in natural stone







Natural stone

LA NORDICA • ROSA STONE

| Colour | Code |
|---|---------|
|  Natural stone | 7015312 |

OPTIONAL

| | Code |
|---|---------|
|  Inox tank 4,5 | 1014950 |
|  Inox Oven grid Dimensions: 11,7 x 15 inch | 1014100 |
|  Enameled backing tray Dimensions: 11,7 x 14,8 inch | 1014024 |
|  High-adjustable grate | 1035402 |

ROSAL

Wood burning cooker

27.638* BTU/h | 303* yd³



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
27.638 BTU/h

Efficiency*
84,0 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
38,4 x 34 x 26,4 inch

Net weight
424 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8,8 x 8,3 inch

Hearth dimensions (WxHxD)
11,6 x 12 x 18,1 inch

Oven dimensions (WxHxD)
12 x 16,5 x 16,9 inch

Wood length (max)
11,8 inch

Oven capacity
14,6 gallons

Download technical sheet




SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



DETAIL



COLOUR CHOICES

External finish in enameled steel



Anthracite black

LA NORDICA • ROSAL

| Colour | Code |
|------------------|---------|
| Anthracite black | 7015304 |

OPTIONAL

| | Code |
|---|---------|
| Enameled backing tray Dimensions: 11,7 x 14,8 inch | 1014024 |
| Ceramic glass top kit | 7016255 |
| Inox Oven grid Dimensions: 11,7 x 15,0 inch | 1014100 |


TECHNOLOGY









N.B. Enameled cast iron, when used correctly, has almost an unlimited life and requires minimal maintenance.

THE IDEAL SOLUTION TO FACILITATE THE INSTALLATION AND USE OF OUR PRODUCTS







To satisfy even the most demanding customers, we have enhanced our catalogue with important accessories.



COOKING ACCESSORIES

| Description | Code |
|---|-------------------------------|
| <p>Milly warming compartment</p> <ul style="list-style-type: none"> • Top food warmer with back for Milly cookers • Enameled cast iron sides • Interior in lava stone and stainless steel for food use | |
|   <p>Food warmer Bordeaux dimensions (WxHxD) 38,9 x 28 x 14,6 inch Attention: pipe not included</p> | 7018010 |
|  <p>Food warmer White Infinity dimensions (WxHxD) 38,9 x 28 x 14,6 inch Attention: pipe not included</p> | 7018013 |
|  <p>Rosa high-adjustable grate</p> <p>High-adjustable grate for the cast iron hearth of</p> <ul style="list-style-type: none"> • Rosa | 1035402 |
|  <p>Oven grid</p> <p>Inox Oven grid 11,7 x 15 inch. Available for:</p> <ul style="list-style-type: none"> • Rosa • Rosa L <p>Inox Oven grid 9,2 x 15 inch. Available for:</p> <ul style="list-style-type: none"> • Rosa Reverse • Rosa Sinistra Reverse <p>Inox Oven grid 16,8 x 116,1 inch. Available for:</p> <ul style="list-style-type: none"> • Milly • Rosa XXL • Alaska | 1014100 1014110 1017109 |
|  <p>Inox grid</p> <p>Double inox grid. Available for:</p> <ul style="list-style-type: none"> • Alaska | 7016150 |

COOKING ACCESSORIES

| | Description | Code |
|---|---|---------|
|  | Enameled backing tray Enameled backing tray 11,7 x 14,8 inch. Available for: <ul style="list-style-type: none"> • Rosa • Rosa L | 1014024 |
|  | Enameled backing tray 9,1 x 15,4 inch. Available for: <ul style="list-style-type: none"> • Rosa Reverse • Rosa Sinistra Reverse | 1210610 |
|  | Enameled backing tray 15,2 x 16,8 inch. Available for: <ul style="list-style-type: none"> • Rosa XXL • Milly • Alaska | 1017229 |
|  | Enamelled backing tray 15,2 x 11,6 inch. Available for: <ul style="list-style-type: none"> • Alaska (to place on the grid) | 1119000 |
|  | Inox tank Inox tank 4.5. Available for: <ul style="list-style-type: none"> • Rosa UL-C • Rosa Sinistra Reverse UL-C • Rosa Reverse | 1014950 |
|  | Handrail and end caps Chrome. Available for: <ul style="list-style-type: none"> • Alaska | 7016057 |

NOTE

Due to printing reasons the reproduction of colours has to be considered only indicative. Facing tones and characteristics are subject to slight variations because they are natural products. The manufactures reserve the right to change the products without any previous notice. The La Nordica products can be covered by industrial property rights (such as patents, designs and trademarks) owned by La Nordica exclusively. It is strictly forbidden to violate these rights as for removing, cancelling or corrupting the trademarks impressed on the products and impressing others. yd³ that can be heated: the data is indicative. For the generator to be sized correctly, contact a skilled technician/designer. Interim document and subject to changes

LEGEND

BTU/h: Nominal thermal power (kW) - **yd³:** Heatable yd³ (26.68 W/yd³) - **%:** Efficiency (%) - **lb/h:** Hourly consumption (lb/h) - **Ø inch:** Smoke outlet diameter (inch) T = Top, B = Back, RH side = Right side, LH side = Left side - **Dim. WxHxD:** Dimensions WxHxD (inch) - **lb:** Net weight (lb) - **W:** Electrical power consumption (W)

CERTIFICATES



ETL (Electrical Testing Laboratories) – Product Safety Approval.

The ETL Listed marking certifies that the product has been tested by an independent and accredited laboratory (Intertek), complying with the minimum safety requirements, recognized and accepted in the same way as the UL and ULC marking, to be sold and distributed in the territory of North America.

“The La Nordica appliances of the UL-C series are solid-fuel, i.e. wood, cookstoves specifically designed to fulfill all the safety requirements required by the market. In particular, these products have been certified to the test standards UL 1482 and ULC S627 for the US and Canadian markets, respectively. Installation compliance is given by following the requirements of the test standards together with the national installation codes for each country.”

NORDICA[®]
Extraflame
Warms up your life.

FEELING COSY AT HOME
A natural choice



 **NORDICA**[®]
Extraflame
Warms up your life.



© 2023 La Nordica SpA - All rights reserved - LINEX 01/23



La Nordica S.p.A.

Via Summano, 104 • 36030 Montecchio Precalcino - Vicenza - Italy

Tel. +39 0445 804000

export@lanordica.com

www.lanordica-extraflame.com

MCA Group.it